#### Company honor

- 1988 Synthesis of Funik's first high-grade cubic boron nitride abrasive
- 1991 Amber cubic boron nitride has been successfully developed
- 1997 High strength black cubic boron nitride has been successfully developed
- 1998 Won the title of "High-tech Enterprise" of Henan Science and Technology Commission
- 2002 National standard formulation unit of Super Abrasive, Cubic Boron Nitride
- 2003 Introduced high wear-resistant and impact-resistant polycrystalline cubic boron nitride inserts
- 2003 Undertook the "National Torch Plan" project of the Ministry of Science and Technology of the People's Republic of China
- 2005 Funik brand won the title of "Famous Brand Products of Henan Province"
- 2006 Won the "50 High-Tech and High-growth Enterprises" named by Henan Provincial Government
- 2006 The first one in the industry was certified by the "three-standard" management system of ISO9001, ISO14001, OHSAS18001
- 2007 Won the title of "Top Ten Enterprises with Comprehensive Economic Benefits in 2006" by China Machine Tool Industry Association
- 2008 Super wear-resistant high-speed finishing polycrystalline cubic boron nitride inserts were successfully put on the market
- 2009 Undertook and implemented the high-tech industrialization project of high-grade cubic boron nitride and high-speed cutting superhard cutting tools of the National Development and Reform Commission
- 2009 Won the title of "Henan Innovative Enterprise" in Henan Province
- 2010 Super brazed cubic boron nitride cutting tools was successfully put on the market
- 2011 Establishment of academician workstation of cubic boron nitride and its products
- 2012 Ultra-precision cubic boron nitride polycrystalline cutting tools was successfully put on the market
- 2014 Won the title of "Innovative Enterprise" of China Materials Research Society
- 2014 The company's shares are listed on the New Three Board, and the securities are referred to as "Funik". The stock code is 831378
- 2015 Won the national standard-setting unit of Polycrystalline Cubic Boron Nitride for Metal Processing
- 2015 Won the title of "Demonstration Enterprise of Technological Innovation in Henan Province in 2015"
- 2015 Won the title of "Top Ten Innovative Enterprises of Henan Economy (2015)"
- 2016 Won the title of "Intellectual Property Advantage Enterprise in Henan Province"
- 2016 Won the title of "Top Ten Product Quality" of cubic boron nitride awarded by China Machine Tool Industry Association
- 2016 Won the title of "Best Service Brand" of the third China Metal Cutting Tool
- 2017 Won the "Excellence Award of China Patent Award"
- 2017 Won the "First Prize for Scientific and Technological Progress in Henan Province"
- 2017 Won the "Top Ten Brands Made in Henan Province in 2017"
- 2018 Obtained the first batch of demonstration items of robot "Ten Hundred Thousand" demonstration application multiplication project in Henan Province in 2018
- 2018 Won the "First Prize for Scientific and Technological Progress in Henan Province"
- 2018 Funik innovative PCD cutting tool was sold more than 200,000 pieces in 3C electronics industry
- 2018 The φ 63 large diameter PCD blank was successfully put on the market
- 2018 Won the title of "Henan Intelligent Factory"
- 2019 Won the title of the first batch of special new "Little Giant" enterprises of the Ministry of Industry and Information Technology of the People's Republic of China
- 2019 Won the "Henan Science and Technology Progress Award"
- 2019 Won the "National Intellectual Property Advantage Enterprise"
- 2020 Passed the evaluation of the "Management System for Integration of Informatization and Industrialization"
- 2020 Won the recognition of Henan Research Center of Cubic Boron Nitride Micro-nano Materials and Applied Engineering Technology
- 2020 Funik has accumulated more than 340 national patents

#### Funik Ultrahard Material Co., Ltd.

Address: No. 16 Dongqing Street, Zhengzhou High-tech Development Zone, China

Tel: +86-371-67987271 Fax: +86-371-67997700

Postcode: 450001

Email: export@funik.com Website: en.funik.com



#### PCD cutting tool

# Substantially improve cutting efficiency and tool life




Subverting the tradition Enlightening the future


IS09001/IS014001/IS045001 Certified



#### PCD insert









Grade	Model No.	φi.c	S	R	D
5685	CCGW09T302	9.525	3.97	0.2	4.4
5685	CCGW09T304	9.525	3.97	0.4	4.4
5685	CCGW120404	12.7	4.76	0.4	5.5
5685	CCGW120408	12.7	4.76	0.8	5.5










Grade	Model No.	φi.c	S	R	D
5685	DCGW11T302	9.525	3.97	0.2	4.4
5685	DCGW11T304	9.525	3.97	0.4	4.4
5685	DCGW11T308	9.525	3.97	0.8	4.4








Grade	Model No.	фі.с	S	R	D
5685	APKT160402	9.525	4.76	0.2	4.4
5685	APKT160404	9.525	4.76	0.4	4.4
5685	APKT160408	9.525	4.76	0.8	4.4




competitors.

# Funik

### PCD insert




Grade	Model No.	φi.c	S	R	D
5685	VCGW11T302	6.35	3.97	0.2	2.8
5685	VCGW11T304	6.35	3.97	0.4	2.8
5685	VCGW160404	9.525	4.76	0.4	4.4
5685	VCGW160408	9.525	4.76	0.8	4.4




Grade	Model No.	φi.c	S	R	D
5685	TCGW110302	6.35	3.18	0.2	2.8
5685	TCGW110304	6.35	3.18	0.4	2.8
5685	TCGW160404	9.525	4.76	0.4	4.4
5685	TCGW160408	9.525	4.76	0.8	4.4


## PCD insert - chip breaker



Grade	Model No.	фі.с	S	R	D
5685	DCGW11T302	9.525	3.97	0.2	4.4
5685	DCGW11T304	9.525	3.97	0.4	4.4
5685	DCGW11T308	9.525	3.97	0.8	4.4








Grade	Model No.	φi.c	S	R	D
5685	TCGW110302	6.35	3.18	0.2	2.8
5685	TCGW110304	6.35	3.18	0.4	2.8
5685	TCGW160404	9.525	4.76	0.4	4.4
5685	TCGW160408	9.525	4.76	0.8	4.4

02


# Funík

## PCD cutting tool for stone carving



Grade	Cutting tip width ( mm )	Cutting tip angle	Shank diameter ( mm )	Total length ( mm )
5632	0.2	45°	6	40
5632	0.4	45°	6	40
5632	0.2	60°	6	40
5632	0.4	60°	6	40
5632	0.2	70°	6	40
5632	0.4	70°	6	40
5632	1	70°	6	40
5632	2	70°	6	40
5632	0.2	90°	6	40
5632	0.4	90°	6	40
5632	1	90°	6	40
5632	2	90°	6	40

## PCD milling cutter





Grade	Cutter diameter ( mm )	Cutting edge length ( mm )	Number of cutting edge	Shank diameter ( mm )	Total length ( mm )
5610	2	3	1	4	40
5610	3	4	1	6	40
5610	4	6	1	6	40
5610	10	12	1	10	50
5610	12	12	1	10	50
5610	4	12	2	10	50
5610	6	12	2	10	50
5610	8	12	2	10	50
5610	10	12	2	10	50
5610	12	12	2	10	50

04